



(02) 9625 2311
 (02) 9832 2469
 www.thevellagroup.com.au
 sales@thevellagroup.com.au
 PO Box 73, Doonside, NSW. 2767
 96 Glendenning Rd Plumpton, NSW. 2761

ALPACA PELLETS

Typical Analysis	As Fed	Dry Matter
Energy MJ/ME kg	10.20	11.46
Protein (%)	14.00	15.73
Calcium (%)	1.50	1.68
Phosphorus (%)	0.80	0.90
Fibre (%)	9.50	10.67
Added Salt (%)	< 0.50	

TRACE MINERAL PREMIX ADDED, FOR MORE DETAILED ANALYSIS PLEASE CONTACT VELLA STOCK FEEDS.

Alpaca Pellets have been formulated as a supplement to be fed in conjunction with pasture and/or hay to young, growing and mature stock.

Also suitable to be fed to Llamas

- **True Proteins** - No urea, all protein in the form of true proteins sources
 - High quality proteins used
- **Energy** - Balanced energy and protein levels to enhance pasture / hay for assistance in maintaining maintenance and growth requirements
- **Pellet** - Readily accepted by stock
- **Palatable** - Assists livestock intake
- **Packaging** - Available in Bags, Bulk Bags & Bulk, conditions apply

Other Specialty Products

- Calf Starter
- Goat Pellets
- Calf Rearer
- Livestock Maintenance Cubes
- Ewe and Lamb Diets

Feeding Suggestions

- Estimated dry matter intake (kg) of Alpacas and Llamas is approximately 1.80% - 2.00% of LBW (live body weight) per day
- Pelleted feed should not exceed 50% (dry matter) of total intake
- Where possible feed allocation over two or more feeds per day
- Where it is necessary to feed mature Alpacas (>0.50 kg) and Llamas (>1.00 kg) per day, mix equal amounts (by weight) of a course roughage (e.g. white chaff) with pellets
- Ensure that stock have access to suitable (palatable) roughage in the form of pasture and or hay at all times
- Access to cool, clean drinking water at all times
- Introduce pellets slowly and remove any waste daily

- *Feeding levels are intended as a guide only, ensure that clean, cool water and roughage in the form of pasture and/or hay is available at all times.*
 - *Results will vary according to seasonal conditions, age of animal, housing, health and body condition prior to the introduction of supplements and other feed / roughage*
 - *For best practice, feed should be introduced to livestock prior to other feeds becoming limited*
 - *Phase new feeds in and out gradually over a 14 - 21 day period to avoid set backs.*
- Revision; 20070808*