

FREE RANGE SCRATCH MIX

Typical Analysis	As Fed	Dry Matter
Energy KCAL / kg	3000	3300
Protein (min) (%)	12.50	13.90
Calcium (min) (%)	1.82	2.07
Phos (min) (%)	0.16	0.18
Fibre (max) (%)	7.00	7.70
Fat (max) (%)	8.00	8.80

TRACE MINERAL PREMIX ADDED, FOR MORE DETAILED ANALYSIS PLEASE CONTACT VELLA STOCK FEEDS.

Free Range Scratch Mix has been formulated for those who prefer a natural grain based diet to suit all breeds of layers from point of lay (18 - 20 weeks of age).

Blend of grains & oil seed with a protein / mineral pellet that contains essential minerals & proteins to assist with bird health & egg production also reduces wasteful fines.

- **Proteins** - Contains Lucerne & Vegetable Protein Meals
- **High Energy** - For egg production and growth
- **Mineral Pellet** - Contains essential minerals & proteins to assist in bird health
- **Molasses / Oils** - Light coating to enhance natural palatability and energy density
- **Natural Grains / Oil Seed** - varies the texture and flavors to layers
- **Selgrit** - Assists in shell production and strength
- **Lucerne Meal** - added to mineral pellet to enhances both protein and palatability as of 27th November 2017

Other Specialty Products

- Chicken Starter
- Free Range Layer
- Meat Bird Finisher
- Pullet Grower
- Poultry Supreme
- Duck Grower
- Back Yard Layer
- Meat Bird Starter
- Specialty Diets

General Information

- Introduce to birds from 18 - 20 weeks of age
- Intake varies from 95 grams - 110 grams per day depending on bird health & breed, lighting, housing, climate conditions and water supply
- Can be blended with layer pellets to give variety to layers diet and further enhance mineral content
- Fresh, clean water to be accessible at all times
- Greens can be fed in conjunction with scratch mix
- Older hens (>2 years) egg production will decline rapidly due to aging

- *Egg production rates will vary according to a range of external factors including bird age, housing, lighting, variable weather conditions, predators, inoculations and hygiene to name a few*
- *Phase supplementary feeding both in and out gradually to help avoid set backs.*
- *Housing should be well vented but draft free*
- *Ensure clean, cool water is accessible at all times*
- *Feeders and waterers needs to be easily accessible and cleaned of litter on a regular basis*
- *Quarantine sick layers to prevent possible outbreaks*
- *Dead layers need to be removed straight away and disposed of.*

Revision: 20171124