



(02) 9625 2311
 (02) 9832 2469
www.thevellagroup.com.au
sales@thevellagroup.com.au
 PO Box 73, Doonside. NSW. 2767
 96 Glendenning Rd Plumpton. NSW. 2761

GOAT PELLETS

Typical Analysis	As Fed	Dry Matter
Energy MJ/ME kg	10.40	11.69
Protein (%)	16.00	17.98
Calcium (%)	2.00	2.24
Phosphorus (%)	0.70	0.78
Fibre (%)	8.56	9.62
Added Salt (%)	<1.00	

TRACE MINERAL PREMIX ADDED, FOR MORE DETAILED ANALYSIS PLEASE CONTACT VELLA STOCK FEEDS.

Goat Pellets has been formulated as a supplement to be fed in conjunction with pasture and/or hay to growing, breeding and mature stock for the purpose of hair, meat & dairy production.

For young stock please see Calf Starter or Calf Rearer detail in the in dairy section

- **True Proteins** - No urea, all protein in the form of true proteins sources
 - High quality proteins used
- **Energy** - Balanced energy and protein levels to enhance pasture / hay for assistance in maintaining maintenance and growth requirements
- **Pellet** - Readily accepted by stock
- **Palatable** - Assist in livestock intake
- **Packaging** - Available in Bags, Bulk Bags & Bulk, conditions apply

Other Specialty Products

- Calf Starter
- Alpaca Pellets
- Calf Rearer
- Rabbit & Guinea Pig Diets
- Livestock Maintenance Cubes
- Ewe and Lamb Diets

Feeding Suggestions

- Estimated dry matter intake (kg) of mature goats is 2.00% - 3.00% of LBW (live body weight)
- Pelleted feed should not exceed 50% (dry matter) of total intake
- Where possible feed allocation over two or more feeds per day
- Where it is necessary to feed mature goats greater than 1.00 kg per day, mix equal amounts (by weight) of a course roughage (e.g. white chaff) with pellets or ensure that stock have access to suitable (palatable) roughage in the form of pasture and or hay at all times
- Access to cool, clean drinking water at all times
- Introduce pellets slowly and remove any waste daily
- Goats susceptible to pulpy kidney, vaccinate accordingly and maintain high roughage intake

- *Feeding levels are intended as a guide only, ensure that clean, cool water and roughage in the form of pasture and/or hay is available at all times.*
- *Results will vary according to seasonal conditions, age of animal, housing, health and body condition prior to the introduction of supplements and other feed/roughage*
- *For best results, feed should be introduced to livestock prior to other feeds becoming limited*
- *Phase new feeds in and out gradually over a 14 - 21 day period to avoid set backs.*