



 (02) 9625 2311
 (02) 9832 2469
 www.thevellagroup.com.au
 sales@thevellagroup.com.au
 PO Box 73, Doonside. NSW. 2767
 96 Glendenning Rd Plumpton. NSW. 2761

CHICKEN & DUCKLING STARTER

Typical Analysis		As Fed
Energy	KCAL / kg	2800
Protein	(%)	22.00
Calcium	(%)	1.00
Available Phosphorus	(%)	0.40
Crude Fat	(%)	4.00
Added Niacin	(mg/kg)	60.00

Chicken & Duckling Starter has been formulated to suit all breeds of layer chickens & ducklings from day old to 5 - 6 weeks of age.

Contains a natural herbal coccidiostat that is safe for ducklings.

Elevated Niacin to support ducklings

- **Probiotic and Prebiotic** - Good bacteria for gut health
- **Coccidiostat** - Regano, a natural herbal coccidiostat used, no withholding period for meat and or egg consumption. Also suitable for ducklings & ducks to consume.
- **Natural Betaine** - Support stock during times of heat stress
- **Vegetable Proteins** - No restricted animal materials (RAM) used in our diets
- **Vitamins** - Species specific vitamins & minerals included to support health and production
- **Added Niacin** - elevated levels for ducklings

Typical raw materials considered in the formulation of this diet

Australian cereal grains & their Co-Products, Corn, Canola & Soybean Meal, Lucerne Meal, Vegetable Oils, Amino Acids, Probiotics, Prebiotics, Calcium, Phosphorus, Vitamin Premix, Salt, Sodium Bicarbonate, Sodium Bentonite, Natural Betaine, Antioxidant, Regano (Herbal Coccidiostat), Emzymes

All raw materials used are steamed conditioned prior to the pelleting process

General Information

- A complete diet available in a crumble form, providing essential nutrients for growing domestic layer chickens and ducklings
- Fresh, clean water to be accessible at all times especially for ducklings, to aid suitable intake
- Phase supplementary feeding both in and out gradually to help avoid set backs
- A herbal coccidiostat has been added to assist in the control of Coccidiosis, safe for both ducklings & ducks to consume
- For first two weeks of age we suggest the uses of a water soluble vitamin in their water to aid less dominant chicks that may not get their desired intake of the feed
- Growth rates will vary according to a range of external factors including housing, variable weather conditions, predators, inoculations and hygiene to name a few
- For advanced nutritional specifications please email your request to peterh@thevellagroup.com.au

Revision: 20220120